Impact of Cost Escalation on Power System R&D Goals



Re-baselining APS, CS & FC GPRA Goals

Julianne M. Klara Senior Analyst Office of Systems, Analysis and Planning

National Energy Technology Laboratory





Outline

- Overview
 - R&D Goals and Baselines considered
- Cost Escalation Trends
- Technology R&D Goals
 - Snapshot in 2000/2002
 - Re-establishing the Baseline for FY2008
 - Clarifying the COE baseline
 - Updating cost for escalation
- Summary of GPRA R&D Goals as Updated 06/08



Overview



Advanced Power Systems (APS)

Cost Goal

- Power plants more expensive today than in 2003 when goal was formulated
 - Propose to raise the capital cost goal from \$1,000/kW to \$1,540/kW (2007\$)
 - Specify cost as "overnight construction cost"

Efficiency Goal

- No changes proposed to APS efficiency goal
 - 45-50%, HHV
 - Commercial scale deployments indicate actual baseline efficiency of 35%, rather than original assumption of 40%. Therefore, will likely reach lower end of this efficiency range.



Carbon Sequestration (CS)

COE Goal

- No changes proposed to CS COE goal
 - Relative goal ...ensure advanced case and baseline compared with same year dollar and financial assumptions
- Propose following clarification
 - COE goal is relative to a baseline IGCC power plant
 - CO₂ capture level is 90%
 - COE cost includes capture, compression, transport, storage and monitoring



Fuel Cells (SECA FC)

FC Module Cost Goal

- Materials more expensive today than in 2000 when goal was formulated
 - Propose to raise the capital cost goal from \$400/kW to \$700/kW (2007\$)
 - Specify that this is an overnight installed cost
 - Maintains par with NGCC costs



Cost Escalation Trends



Power Plant Cost Trends


 Power plant construction costs have risen at rates greater than that of inflation in past few years

Why?

- Global demand for electricity infrastructure-related items
- High fuel and labor prices
- High raw material prices
- Expected to worsen



CERA PCCI



- Costs increased by 78% between 2000 and 2007
 - -FC
- Costs increased by 60% between 2002 and 2007
 - APS/CS



Advanced Power Systems



Advanced Power Systems (APS) GPRA goal

- By 2010, develop advanced coal-based power systems capable of achieving 45-50 percent thermal efficiency at a capital cost of \$1,000 per kilowatt or less.
 - Goal did not specify whether the thermal efficiency was on a higher or lower heating value basis, did not define the capital cost components, and did not specify the year dollars for the \$1000/kW goal
 - Baseline and goals are in constant dollar terms (inflation not considered)




Advanced Power Systems GPRA Goal History

- Circa 2000...baseline was set
 - COE was 4.5 cents/kWh (2002\$, baseload)
 - -TPC \$1324/kW* (2002\$)
 - Efficiency of 40 percent (HHV)
- 2003...goals were set based on what is technically achievable
 - Mitretek Study commissioned by Gasification Team
 - Technically achievable for R&D to
 - reduce TPC by 23 percent to \$1000/kW (2002\$)
 - Increase efficiency by 10 points



* Actual value of \$1200/kW (1998\$) from 1999 Market-Based study.

Snapshot of 2002





GPRA Goal Baseline

(updated June 2008)

IGCC plant vintage 2003 (slurry gasifier, 7FA turbine)

- ➤ Plant net efficiency (HHV) of 35 percent
- ➤ Total plant cost^a of \$2,100/kW (2007\$)
- ≥20-year levelized COE of 9 cents/kWh (2007\$)
- ^a Expressed as overnight construction cost (bare erected costs, engineering costs, and contingencies). Not included are owners costs such as project development fees, land and site infrastructure improvements, preproduction costs, inventory capital, and allowance for funds used during construction. With these costs included, the total capital required would be equivalent to roughly \$3,500/kW.



Re-baselined APS Cost Goals

(June 2008)

- Apply factor of 1.6 (based on CERA PCCI)
- Maintains same incremental reduction for targets
- Baseline plant configuration unchanged from FY2003

GPRA FY2003 Cost Milestones (\$/kW)			
GPRA Target Year	GPRA Goal* 2002\$		
2003 Baseline	1,300		
2005	1,200		
2006	Not Defined		
2007	1,150		
2008	1,150		
2009	1,100		
2010	1,000		

Updated Cost Milestones (\$/kW) (as of 06/08)			
GPRA Target Year	GPRA Goal* 2007\$		
2007 Baseline	2,100		
2007	1,850		
2008	1,850		
2009	1,800		
2010	1,600		

^{*} Expressed as overnight construction cost (bare erected costs, engineering costs, and contingencies). Not included are owners costs such as project development fees, land and site infrastructure improvements, pre-production costs, inventory capital, and allowance for funds used during construction. With these costs included, the 2010 goal would be roughly equal to \$2,500/kW.

APS GPRA Goal

(as of 06/08)

By 2010, develop advanced coal-based power systems capable of achieving 45-50 percent thermal efficiency^a at a capital cost^b of \$1,600/kW or less (2007\$).

- a HHV basis
- ^b Expressed as overnight construction cost (bare erected costs, engineering costs, and contingencies). Not included are owners costs such as project development fees, land and site infrastructure improvements, preproduction costs, inventory capital, and allowance for funds used during construction. With these costs included, the total capital required would be equivalent to roughly \$2,500/kW.



Carbon Sequestration



Carbon Sequestration (CS) GPRA goal

- By 2012, complete R&D to integrate this technology with CO₂ separation, capture, and sequestration into a "zero" emission configuration(s) that can provide electricity with less than a 10 percent increase in cost of electricity.
 - Goal language did not include definition of baseline for COE increase
 - Baseline and goals are in constant dollar terms (inflation not considered)



Carbon Sequestration GPRA Goal History

1997

- Reduce cost of carbon sequestration to \$10 net per ton of carbon emissions
- Criticized as overly aggressive and likely unattainable
 - 3-4 percent increase in COE (a greater than 90 percent reduction in capital cost!)

Circa 2001

- Switch to COE metric (efficiency and cost)
- % increase relative to conventional IGCC
- Estimated COE increase at 30% with CCS
 - Goal to reduce to only 10% increase by 2012



Defining the COE Baseline


To determine % change in COE:

- Baseline defined as IGCC plant vintage 2003
 - slurry gasifier, 7FA turbine
- To determine change in COE, divide IGCC w/CCS by the baseline

$$\frac{\text{COE (IGCC w/CCS)}}{\text{COE (Baseline IGCC)}} - 1 \quad x \; 100\% = \% \; \text{change in COE}$$



Integrated R&D Needed to Reach COE Goals





CS GPRA goal

(as of 6/08)

By 2012, complete R&D to integrate this technology with CO₂ separation, capture, and sequestration into a "zero" emission configuration(s) that can provide electricity with less than a 10 percent^a increase in cost of electricity^b.



^a Compared to the COE for a conventional IGCC (circa 2002); estimated to be 9 cents/kWh (2007\$)

^b COE should include costs for CO₂ capture (90%), compression, transport, storage and monitoring.

Fuel Cells (SECA)



Fuel Cell (FC) GPRA goal

- By 2010, produce 3-10 kW solid oxide fuel cell (SOFC) modules having a capital cost of \$400/kW and, by 2015, demonstrate MW-class fuel cell/turbine hybrids, using aggregated SOFC modules adaptable to coal and having a capital cost of \$400/kW.
 - Goal did not specify the year dollars for the \$400/kW goal, nor did it specify if installed cost or manufactured cost
 - Baseline and goals are in constant dollar terms (inflation not considered)



Fuel Cell GPRA Goal History

2000

- Solid State Energy Conversion Alliance (SECA)
 Fuel Cell module capital cost goal set at \$400/kW
 - Basis: average price of combined cycle gas turbines
 - 2010 SECA fuel cells expected to compete with commercial NGCCs on capital cost basis
 - In 2000, NGCC capital cost was \$400/kW (2000\$)
 - Ultimately, SECA FC expected to be deployed in gasification-based systems where it will replace the conventional combined cycle turbine system in an IGCC configuration



Re-baselined FC Cost Goals

(June 2008)

- Cost compared to NGCC (installed cost)
- Apply factor of 1.78 (based on CERA PCCI)
- Maintains same incremental reduction for targets

GPRA FY2003 Cost* Milestones (\$/kW)			
GPRA Target Year	FY2003 GPRA 2002\$		
2003 Baseline	4500		
2005	800		
2008	600		
2010	400		

Updated Cost* Milestones (\$/kW) (as of 06/08)			
GPRA Target Year	GPRA Goal 2007\$		
2007 Baseline	>8,000		
2008	1,050		
2010	700		

^{*}Fuel cell system module cost expressed as overnight construction cost (specifically, bare erected costs, engineering costs, and contingencies).



FC GPRA Goal

(as of 06/08)

By 2010, produce 3-10 kW solid oxide fuel cell (SOFC) modules having a capital cost of \$700/kW (2007\$) and, by 2015, demonstrate MW-class fuel cell/turbine hybrids, using aggregated SOFC modules adaptable to coal and having a capital cost of \$700/kW (2007\$).*

*Based on 2007\$ cost of NGCC in terms of overnight construction cost (bare erected costs, engineering costs, and contingencies).



Recommendations

- 1. Provide a consistent framework for determining the level of progress made in the research program
 - Clearly define and benchmark the baseline
- 2. Update GPRA goals when necessary to reflect market conditions
 - Account for cost escalation and inflation
 - Review annually to determine if trends shift significantly





Extra Slides



Efficiency and Cost Usually Inversely Proportional

But: APS goals must be achieved simultaneously!





PART Input vs. Re-Baseline Study

- APS & CS Baseline Costs in 2007\$
 - PART Study TPC= \$1940/kW COE= 8 cents/kWh
 - Re-Baseline TPC= \$2100/kW COE= 9 cents/kWh

Escalated Capital Cost Goal for APS (\$/kW)					
_	GPRA	2007 PART 2007\$	Re-baseline		
FY	2002\$		2002\$	2007\$	
2003	1,300	1940	1800	2100	
2005	1,200	1788			
2006	-	-			
2007	1,150	1714	1600	1850	
2008	1,150	1714	1600	1850	
2009	1,100	1639	1550	1800	
2010	1,000	1490	1400	1600	



PART Input vs. Re-Baseline Study

- PART report suggested changes to APS efficiency goal and CS COE goal
 - Re-baselining analysis determined that <u>no changes</u> are required to these goals

